

PATIENT ALERT CARD

Axaban-Denk (apixaban)

Carry this card with you at all times.

Show this card to your pharmacist, dentist and any other healthcare professionals that treat you.

Information for patients

- Take Axaban-Denk regularly as instructed. If you miss a dose, take it as soon as you remember and continue to follow your dosing schedule.
- Do not stop taking Axaban-Denk without talking to your doctor, as you are at risk of suffering from a stroke or other complications.
- Axaban-Denk helps to thin your blood. However, this may increase your risk of bleeding.
- Signs and symptoms of bleeding include bruising or bleeding under the skin, tar-coloured stools, blood in urine, nose-bleed, dizziness, tiredness, paleness or weakness, sudden severe headache, coughing up blood or vomiting blood.
- If the bleeding does not stop on its own, **seek medical attention immediately.**
- If you need surgery or any invasive procedure, inform your doctor that you are taking Axaban-Denk.

CARTE DE SURVEILLANCE DU PATIENT

Axaban-Denk (apixaban)

Portez cette carte sur vous en permanence.

Présentez cette carte à votre pharmacien, votre dentiste et tout autre professionnel de santé qui vous traite.

Information destinée aux patients

- Prendre Axaban-Denk à heures fixes, comme indiqué par votre médecin. Si vous oubliez une dose, prenez-la dès que vous vous en apercevez et continuez de prendre votre traitement selon le schéma habituel.
- N'arrêtez pas le traitement par Axaban-Denk sans en avoir parlé à votre médecin car vous risquez de faire un accident vasculaire cérébral ou de subir d'autres complications.
- Axaban-Denk aide à fluidifier votre sang. Cependant, cela peut augmenter votre risque de saignement.
- Les signes et les symptômes de saignement incluent des ecchymoses ou des saignements sous la peau, des selles noires, du sang dans les urines, des saignements du nez, des sensations vertigineuses, de la fatigue, pâleur ou faiblesse, maux de têtes intenses et soudains, crachat de sang ou vomissement de sang.
- Si le saignement ne s'arrête pas de lui même, **demandez immédiatement un avis médical.**
- En cas de chirurgie ou d'intervention invasive, informez votre médecin que vous prenez Axaban-Denk.